

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

827

FIELD NOTES

OF THE

LIMITED DEPENDENT RESURVEY

OF THE

EXTERIOR AND SUBDIVISIONAL LINES

OF

TOWNSHIP 48 SOUTH, RANGE 32 EAST,

AND

TOWNSHIP 48 SOUTH, RANGE 33 EAST,

TO DEFINE THE

EXTERIOR BOUNDARIES OF SEMINOLE INDIAN LANDS.

Of the TALLAHASSEE Meridian,

In the State of FLORIDA

EXECUTED BY

LESTER S. MANN, PUBLIC LAND SURVEYOR

Under SUPPLEMENTAL instructions dated JANUARY 23, 1939, which provided for the surveys included under Group No. 96, bearing the approval of the Commissioner of the General Land Office under date of FEBRUARY 3, 1939

and SUPPLEMENTAL assignment instructions dated JANUARY 25, 1939

Survey commenced JANUARY 30, 1939

Survey completed MARCH 3, 1939

DEPARTMENT OF THE INTERIOR
UNITED STATES
GENERAL LAND OFFICE

FIELD NOTES

INDEX DIAGRAM.

Township 48 South, Range 33 East

13	15 6	15 5	15 4	15 3	14 2	14 1
						36
13	7	8	9	10	11	35 12
	26	27	29			
12	18	17	16	30 15	14	34 18
				31	32	
11	19	20	21	22	23	24
11	30	29	28	27	26	25
10	31	32	33	34	35	36
	9	7	6	5	3	2

INDEX DIAGRAM

TOWNSHIP NO. 48 South, RANGE NO. 32 East

6	5	4	3	2	1	13
7	8	9	10	11	12	13
18	17	16	15	14	13	12
				24	25	
19	20	21	22	23	24	11
30	29	28	27	26	25	11
31	32	33	34	35	36	10
				18	17	

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

The lands purchased by the United States for the use of the Seminole Indians as given in the Supplemental Special Instructions, dated January 23, 1939, may be described as follows:

Sections 23 to 26 inclusive, and sections 35 and 36, T. 48 S., R. 32 E., Tallahassee Meridian, Florida.

Sections 12, 13, and sections 16 to 36, inclusive, T. 48 S., R. 33 E., Tallahassee Meridian, Florida.

The east and south boundaries and subdivisional lines of T. 48 S., R. 32 E., were surveyed by M. A. Williams, Deputy Surveyor, in 1875; the official survey is represented on the township plat approved October 9, 1875.

The north boundary of T. 48 S., R. 33 E., was surveyed by Timothy S. Stearns, Deputy Surveyor, in 1874. The east and south boundaries and subdivisional lines of the township were surveyed by M. A. Williams, Deputy Surveyor, in 1875; the official survey is represented on the township plat approved October 9, 1875.

The following notes are those of a dependent resurvey of the township boundaries and subdivisional lines necessary to mark the boundary of the land acquired for the use of the Seminole Indians. The resurvey is a restoration of the above boundaries and is adjusted to the best available remaining evidence of the original positions.

Before reconstructing or restoring the corners, the lines of the original surveys were retraced and search was made for evidence of the original corner posts, bearing trees, and other calls of the field notes. When duly identified or restored the corner positions were remonumented and new bearing trees marked or accessories set. After completing the retracements, the true lines were duly run and marked through the timber.

The rules of proportionate measurement were applied in order to ascertain the position of each lost or obliterated corner after exhausting every reasonable possibility of finding direct evidence for the control of each particular corner.

In order to simplify the record, the true line notes only are supplied here, which refer to the completed resurveys:

Survey commenced January 25, 1939, and was executed with light mountain solar transits made by Buff and Buff, Serial Nos. 9985 and 14237, constructed in accordance with the standard specifications of the General Land Office. For description and tests of instruments, see the field notes of the "Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida".

The direction of the random lines and true lines were determined by solar transit method or by turning transit angles. Where transit angles were turned, azimuth was frequently verified by direct solar observation. The measurements were made with Lallie steel tapes, 5 chains in length, graduated every link for the first 100 links, and thereafter at intervals of 10 links. The tapes were tested by comparison with a Lufkin Standard tape and found correct. The measurements were made on the slope and the vertical angles of each interval was ascertained when necessary by a clinometer in good adjustment; the horizontal equivalents are entered in the field note record.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

The data furnished gives the geographic position for the northeast corner of T. 48 S., R. 33 E., Tall. Mer., Fla. as; Latitude 26° 19' 36" N. and longitude 80° 58' 12" W.

Beginning at the corner of Tps. 48 and 49 S., Rs. 33 and 34 E. which is described in the field notes of the "Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida".

Thence,

S. 89° 51' W., bet. secs. 1 and 36, Tps. 48 and 49 S., R. 33 E., marking and blazing the true line. Over almost level land and through a cypress swamp. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.

6.00 Leave swamp, enter palmetto and scattering pine, bears N. and S.

11.00 Leave high land, enter a point of a cypress swamp, bears N. and S. Swamp extends 1 chain north of line.

14.60 Leave swamp, reenter palmetto and pine, bears NE. and SW.

20.00 Set a cypress post, 4 ins. square, 5 ft. long, 16 ins. in the ground.

28.00 Enter a cypress and ash pond, bears N. 20° W. and S. 20° E.

33.00 Enter open cypress, bears N. and S.

40.00 The accepted 1/4 sec. corner; there is no remaining evidence of the original corner post or bearing trees.

The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, with 20 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd.,

T 48 S
HENDRY COUNTY

SIL

1/4 36

R 33 E
COLLIER COUNTY

T 49 S

New bearing trees are taken, from which,

A cypress, 5 ins. diam., bears N. 43 1/2° E., 82 lks. dist., mkd. 1/4 S 36 B T

A cypress, 6 ins. diam., bears S. 51° E., 70 lks. dist., mkd. 1/4 S 1 B T

S. 89° 49' W., bet. secs. 1 and 36 (W 1/2). Line is tangent to a small palmetto knoll, 2 chs. diam., lying to the north.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

19.99 1/2 Set a cypress post, 4 ins. square, 5 ft. long, 2 1/2 ins. in the ground.

39.99 The accepted corner of secs. 1, 2, 35, and 36, Tps. 48 and 49 S., R. 33 E.; there is no remaining evidence of the original corner post or bearing trees.

The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, with 20 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick., mkd.,

T 48 S
HENDRY COUNTY

SIL
35 | 36

2 | 1

R 33 E.

COLLIER COUNTY

T 49 S

from which,

New bearing trees are taken,

A cypress, 6 ins. diam., bears N. 32° E., 132 lks. dist., mkd. T 48 S R 33 E S 36 B T

A pine, 7 ins. diam., bears S. 28 1/2° E., 113 lks. dist., mkd. T 49 S R 33 E S 1 B T

A cypress, 5 ins. diam., bears S. 40 1/2° W., 245 lks. dist., mkd. T 49 S R 33 E S 2 B T

A cypress, 6 ins. diam., bears N. 34 1/2° W., 154 lks. dist., mkd. T 48 S R 33 E S 35 B T

Land, almost level. Soil, mostly swamp muck, on high land sandy loam, 2nd rate.

Timber, cypress, gum, bay, and pine; undergrowth young timber, palmetto and vines.

S. 89° 44' W., bet. secs. 2 and 35, marking and blazing the true line.

Through a cypress swamp. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.

7.70 Leave swamp, enter palmetto and pine, bears NE. and SW.

16.80 Leave high land, enter a cypress swamp, bears NW. and SE.

19.99 Set a cypress post, 4 ins. square, 5 ft. long, 2 1/2 ins. in the ground.

39.50 Enter a thicket in the swamp, bears N. and S., timber cypress, cabbage palm, maple, and ash; undergrowth is of thick young trees and vines.

39.98 The accepted 1/4 sec. corner; there is no remaining evidence of the original corner post or bearing trees.

The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, with 20 ins. of it above ground. In the center of the monument is an iron pipe,

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd.,

T 48 S
HENDRY COUNTY
SIL
35
2
R 33 E
COLLIER COUNTY
T 49 S from which,

New bearing trees are taken,

A cypress, 7 ins. diam., bears S. 5° W., 52 lks. dist., mkd. 1/4 S 2 B T

A cypress, 5 ins. diam., bears N. 19 1/2° W., 18 lks. dist., mkd. 1/4 S 35 B T

S. 89° 42' W., bet. sec. 2 and 35 (W 1/2)

8.00 Leave thicket in swamp, bears N. and S.

19.99 1/2 Set a cypress post, 4 ins. square, 5 ft. long, 20 ins. in the ground.

39.99 The accepted cor. of secs. 2, 3, 34, and 35, Tps. 48 and 49 S., R. 33 E.; there is no remaining evidence of the original corner post or bearing trees.

The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, with 20 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd.,

T 48 S
HENDRY COUNTY
SIL
34 | 35
3 | 2
R 33 E
COLLIER COUNTY
T 49 S from which,

New bearing trees are taken,

A cypress, 6 ins. diam., bears N. 6 1/2° E., 22 lks. dist., mkd. T 48 S R 33 E S 35 B T

A cypress, 5 ins. diam., bears S. 30° E., 20 lks. dist., mkd. T 49 S R 33 E S 2 B T

A cypress, 6 ins. diam., bears S. 24° W., 29 lks. dist., mkd. T 49 S R 33 E S 3 B T

A cypress, 7 ins. diam., bears N. 29 1/2° W., 24 lks. dist., mkd. T 48 S R 33 E S 34 B T

Land, almost level.

Soil, mostly swamp, on the high land sandy loam, 2nd rate.

Timber, cypress, cabbage palm, maple, pine, and ash; undergrowth, young timber, palmetto, and vines.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains
 15.00 s. 89° 39' W., bet. secs. 3 and 34, marking and blazing the true line.
 20.00 Through a cypress swamp. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.
 20.00 1/2 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
 28.00 Enter deep water in swamp.
 33.00 Leave deep water.
 40.01 The accepted 1/4 corner; there is no remaining evidence of the original corner post or bearing trees.

The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. diam., with 20 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd.,

T 48 S
 HENDRY COUNTY
 SIL
 34
 3
 R 33 E
 COLLIER COUNTY

from which,

New bearing trees are taken,

A cypress, 8 ins. diam., bears N. 24 1/2° E., 54 lks. dist., mkd. 1/4 S 34 B T

A cypress, 4 ins. diam., bears S. 4° E., 25 lks. dist., mkd. 1/4 S 3 B T

S. 89° 50' W., bet. secs. 3 and 34 (W 1/2).

19.98 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.

39.96 The accepted cor. of secs. 3, 4, 33, and 34, Tps. 48 and 49 S., R. 33 E.; there is no remaining evidence of the original corner post or bearing trees.

The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, with 16 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd.,

T 48 S
 HENDRY COUNTY
 SIL
 33 | 34
 4 | 3
 R 33 E
 COLLIER COUNTY
 T 49 S

from which,

New bearing trees are taken,

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains	A cypress, 6 ins. diam., bears N. 21° E., 53 lks. dist., mkd. T 48 S R 33 E S 34 B T
	A cypress, 6 ins. diam., bears S. 79° E., 34 lks. dist., mkd. T 49 S R 33 E S 3 B T
	A cypress, 18 ins. diam., bears S. 19½° W., 42 lks. dist., mkd. T 49 S R 33 E S 4 B T
	A cypress, 10 ins. diam., bears N. 60° W., 18 lks. dist., mkd. T 48 S R 33 E S 33 B T
	Land, almost level. Soil, all swamp. Timber, cypress, gum, and bay; undergrowth, young trees and vines.
	S. 89° 41' W., bet. secs. 33 and 4, marking and blazing the true line.
	Through a cypress swamp. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.
3.50	Leave swamp, enter a hammock, bears N. 60° E. and S.
9.60	Leave hammock, enter a cypress swamp, bears NW. and SE.
19.99½	Set a cypress post, 4 ins. square, 5 ft. long, 18 ins. in the ground.
20.10	Leave swamp, enter a scrub oak, maple, and palmetto hammock, bears N. 20° W. and SW.
25.10	Leave hammock, enter scattering myrtle scrub and cypress, bears NE. and SW.
32.10	Leave myrtle, enter a cypress swamp, bears N. and S.
39.99	The accepted ¼ corner; there is no remaining evidence of the original corner post or bearing trees.
	The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, with 16 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., ¼ in. thick, mkd.,
	T 48 S HENDRY COUNTY S 33 ¼ 4 R 33 E COLLIER COUNTY T 49 S
	from which,
	New bearing trees are taken,
	A cypress, 7 ins. diam., bears N. 15° E., 9 lks. dist., mkd. ¼ S 33 B T
	A cypress, 6 ins. diam., bears S. 20° E., 8 lks. dist., mkd. ¼ S 4 B T

Dependent Resurvey of the boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains	S. 89° 34' W., bet. secs. 4 and 33 (W $\frac{1}{2}$).
15.00	Enter maple, ash, and some cabbage palm in swamp.
20.00 $\frac{1}{2}$	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
28.00	Enter cypress only in swamp.
40.01	The accepted cor. of secs. 4, 5, 32, and 33, Tps. 48 and 49 S., R. 33 E.; there is no remaining evidence of the original corner post or bearing trees.
	The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, 16 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in. thick, mkd.,
	T 48 S HENDRY COUNTY SIL 32 33 5 4 R 33 E COLLIER COUNTY
	from which,
	New bearing trees are taken,
	No bearing tree available to the NE.
	A cypress, 6 ins. diam., bears S. 35 $\frac{3}{4}$ ° E., 92 lks. dist., mkd. T 49 S R 33 E S 4 B T
	A cypress, 7 ins. diam., bears S. 25 $\frac{3}{4}$ ° W., 158 lks. dist., mkd. T 49 S R 33 E S 5 B T
	A cypress, 4 ins. diam., bears N. 37 $\frac{3}{4}$ ° W., 26 lks. dist., mkd. T 48 S R 33 E S 32 B T
	Land, almost level.
	Soil, swamp with sandy loam on the upland, 2 nd rate.
	Timber, cypress, ash, gum, maple, and cabbage palm; undergrowth, young trees, myrtle, palmetto, and vines.
	S. 89° 27' W., bet. secs. 5 and 32, marking and blazing the true line.
	Through a cypress swamp. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.
18.00	A pine island is 2 chs. south of line.
20.00 $\frac{1}{2}$	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
20.10	Leave swamp, enter scrub myrtle and palmetto, bears NE. and SW.
21.10	Leave high land, enter a cypress swamp, bears N. and S.
26.60	Enter a cypress pond, bears N. and S.
30.10	Leave pond, enter a cypress swamp, bears N. and S.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains 40.01	<p>The accepted $\frac{1}{4}$ corner; there is no remaining evidence of the original corner post or bearing trees.</p> <p>The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, with 16 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in. thick, mkd.,</p> <p style="text-align: center;">T 48 S HENDRY COUNTY SIL 32 <hr style="width: 10%; margin: auto;"/>5 R 33 E COLLIER COUNTY T 49 S</p> <p style="text-align: right;">from which,</p> <p>New bearing trees are taken,</p> <p>A cypress, 9 ins. diam., bears S. $27\frac{1}{4}^{\circ}$ W., 13 lks. dist., mkd. $\frac{1}{4}$ S 5 B T</p> <p>A cypress, 6 ins. diam., bears N. $23\frac{1}{4}^{\circ}$ W., 4 lks. dist., mkd. $\frac{1}{4}$ S 32 B T</p> <hr style="width: 50%; margin: auto;"/> <p>S. $89^{\circ} 30'$ W., bet. secs. 5 and 32 ($W\frac{1}{2}$).</p>
20.00	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
25.00	Enter willow and saw-grass in swamp.
36.50	Leave willow and saw-grass, continue through swamp.
40.00	<p>The accepted corner of secs. 5, 6, 32, and 31, Tps. 48 and 49 S., R. 33 E.; there is no remaining evidence of the original corner post or bearing trees.</p> <p>The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, with 20 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass tablet, 3 ins. diam., $\frac{1}{4}$ in. thick, mkd.,</p> <p style="text-align: center;">T 48 S HENDRY COUNTY SIL 31 32 <hr style="width: 10%; margin: auto;"/>6 5 R 33 E COLLIER COUNTY T 49 S</p> <p style="text-align: right;">from which,</p> <p>New bearing trees are taken,</p> <p>A cypress, 8 ins. diam., bears N. 27° E., 54 lks. dist., mkd. T 48 S R 33 E S 32 B T</p> <p>A cypress, 10 ins. diam., bears S. $75\frac{3}{4}^{\circ}$ E., 10 lks. dist., mkd. T 49 S R 33 E S 5 B T</p> <p>A cypress, 12 ins. diam., bears S. $73\frac{1}{4}^{\circ}$ W., 8 lks. dist., mkd. T 49 S R 33 E S 6 B T</p> <p>A cypress, 8 ins. diam., bears N. $36\frac{3}{4}^{\circ}$ W., 12 lks. dist., mkd. T 48 S R 33 E S 31 B T</p>

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains	<p>Land, almost level. Soil, mostly swamp, high land is sandy loam, 2nd rate. Timber, cypress, willow, gum, and bay; undergrowth, young trees, myrtle, palmetto, and vines.</p>	Chains
	<p>S. 89° 31' W., bet. secs. 6 and 31, marking and blazing the true line. Through a cypress swamp. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.</p>	
20.00 ¹ / ₂	Set a cypress post, 5 ins. square, 5 ft. long, 24 ins. in the ground.	
40.01	<p>The accepted ¹/₄ corner; there is no remaining evidence of the original corner post or bearing trees. The corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, with 20 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., ¹/₄ in. thick, mkd.,</p>	
<p>T 48 S HENDRY COUNTY SIL 31 4 6</p>		
<p>R 33 E COLLIER COUNTY T 49 S</p>		
	<p>New bearing trees are taken, A cypress, 8 in. diam., bears S. 44° E., 53 lks. dist., mkd. ¹/₄ S 6 B T. A cypress, 5 ins. diam., bears N. 14³/₄° W., 148 lks. dist., mkd. ¹/₄ S 31 B T.</p>	from which
18.00	<p>S. 89° 31' W., bet. secs. 6 and 31 (W¹/₂). Leave swamp, enter a hammock, bears NW. and S., extends only 1 ch. to the south and 2 chs. to the north.</p>	
20.05	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.	
21.00	Leave hammock, enter a cypress swamp, bears NW. and SE.	
40.10	<p>The cor. of Tps. 48 and 49 S., Rs. 32 and 33 E., which is a Collier County concrete monument, 3 ft. long, 4 ins. square, projecting 18 ins. above ground, set from the original bearing trees. The monument is reenforced with an iron pipe, 1 in. diam., on which is fastened a brass plate, 3 ins. diam., ¹/₄ in. thick, mkd.</p>	
<p>T 48 S HENDRY COUNTY SIL 36 31 R32E — R33E 116 COLLIER COUNTY T 49 S</p>		
		from which

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

- The remains of the original bearing trees,
- A rotted cypress stump, bears N. 79 $\frac{1}{4}$ ° E., 38 lks. dist.
- A cypress stump, 16 ins. diam., bears S. 60° E., 24 lks. dist.
- A rotted cypress stump, bears S. 62° W., 27 lks. dist.
- A cypress, 9 ins. diam., bears N. 2° W., 12 lks. dist., mkd. with an old chopped-out blaze.
- And new bearing trees,
- A cypress, 5 ins. diam., bears N. 58 $\frac{1}{2}$ ° E., 46 lks. dist., mkd. T 48 S R 33 E S 31 B T.
- A cypress, 6 ins. diam., bears S. 50 $\frac{3}{4}$ ° E., 70 lks. dist., mkd. T 49 S R 33 E S 6 B T.
- A cypress, 8 ins. diam., bears S. 25 $\frac{1}{2}$ ° W., 22 lks. dist., mkd. T 49 S R 32 E S 1 B T.
- A cypress, 7 ins. diam., bears N. 25 $\frac{3}{4}$ ° W., 28 lks. dist., mkd. T 48 S R 32 E S 36 B T.


Land, almost level.
 Soil, mostly swamp, high land is sandy loam, 2nd rate.
 Timber, cypress, bay, gum, oak, and pine; undergrowth young trees, palmetto, gall-berry, and vines.

To develop control for the boundary of Indian Land in T. 48 S., Rs. 32 and 33 E., and to mark the boundary of the Indian Land where it coincides with the line, the line between Ts. 32 and 33 E., is reestablished, in part, as necessary.


Thence,
 N. 1° 57' W., bet. secs. 31 and 36, T. 48 S., Rs. 32 and 33 E. Indian Land on both sides of the line.

79.94 Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 5 ins. diam., 18 ins. in the ground, for the cor. of secs. 25, 30, 31, and 36, with brass cap mkd.



1939



Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

A pine, 16 ins. diam., bears N. 61° E., 19 lks. dist., mkd. T 48 S R 33 E S 30 B T

A pine, 14 ins. diam., bears S. 3¼° E., 50 lks. dist., mkd. T 48 S R 33 E S 31 B T

A cabbage palm, 12 ins. diam., bears S. 36° W., 95 lks. dist., mkd. with an "X"

A pine, 18 ins. diam., bears N. 81° W., 66 lks. dist., mkd. T 48 S R 32 E S 25 B T

N. 1° 57' W., bet. secs. 25 and 30, T. 48 S., Rs. 32 and 33 E., Indian Land on both sides of the line.

79.94

Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 19, 24, 25, and 30, with brass cap mkd.,

T 48 S	
R 32 E	R 33 E
S 24	S 19
S 25	S 30

1939

from which,

A cypress, 12 ins. diam., bears N. 11° E., 9 lks. dist., mkd. T 48 S R 33 E S 19 B T

A cypress, 11 ins. diam., bears S. 72½° E., 8 lks. dist., mkd. T 48 S R 33 E S 30 B T

A cypress, 24 ins. diam., bears S. 27° W., 4 lks. dist., mkd. T 48 S R 32 E S 25 B T

A cypress, 10 ins. diam., bears N. 20¼° W., 13 lks. dist., mkd. T 48 S R 32 E S 24 B T

N. 1° 57' W., bet. secs. 19 and 24, T. 48 S., Rs. 32 and 33 E. Indian Land on both sides of the line.

79.94

Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 20 ins. in the ground, for the cor. of secs. 13, 18, 19, and 24, with brass cap mkd.,

T 48 S	
R 32 E	R 33 E
S 13	S 18
S 24	S 19

SIL 1939

from which,

A cypress, 5 ins. diam., bears N. 26° E., 45 lks. dist., mkd. T 48 S R 33 E S 18 B T

A cypress, 4 ins. diam., bears S. 72½° E., 41 lks. dist., mkd. T 48 S R 33 E S 19 B T

A cypress, 4 ins. diam., bears S. 28½° W., 25 lks. dist., mkd. T 48 S R 32 E S 24 B T

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains											
	A cypress, 5 ins. diam., bears N. 27½° W., 39 lks. dist., mkd. T. 48 S. R. 32 E. S. 13 B T										
	N. 1° 57' W., bet. secs. 13 and 18, T. 48 S., Rs. 32 and 33 E., marking and blazing the true line through the timber.										
	Through scrub cypress and scrub myrtle. Along the boundary of Indian Land. Private land to the west.										
10.30	Enter dense maple and myrtle in cypress, bears E. and W.										
14.30	Enter a slough, bears E. and W.										
18.30	Leave slough, enter maple, myrtle, and cypress, bears E. and W.										
19.98½	Set a cypress post, 4 ins. square, 5 ft. long, 2½ ins. in the ground.										
21.30	Enter scrub cypress and scrub myrtle, scattering, bears E. and W.										
30.20	A road, bears NE. and SW.										
39.97	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.										
	Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the ¼ sec. cor., with brass cap mkd.,										
	<table border="0" style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">¼ SIL</td></tr> <tr><td style="text-align: center;">S 13</td><td style="text-align: center;">S 18</td></tr> <tr><td colspan="2" style="text-align: center;">1939</td></tr> </table> <div style="text-align: right; margin-right: 20px;">from which,</div>	¼ SIL		S 13	S 18	1939					
¼ SIL											
S 13	S 18										
1939											
	A cypress, 8 ins. diam., bears S. 22° E., 65 lks. dist., mkd. ¼ S 18 B T										
	A cypress, 6 ins. diam., bears S. 43° W., 18 lks. dist., mkd. ¼ S 13 B T										
55.10	Enter dense scrub myrtle in cypress, bears SE. and NW.										
59.95½	Set a cypress post, 4 ins. square, 5 ft. long, 2½ ins. in the ground.										
67.60	Leave cypress and myrtle, enter open grass land and palmetto, bears NE. and SW.										
75.70	Leave grass land, enter scrub myrtle and cypress, bears SE. and W.										
79.94	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.										
	Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the cor. of secs. 7, 12, 13, and 18, with brass cap mkd.,										
	<table border="0" style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">¼ SIL</td></tr> <tr><td style="text-align: center;">R 32 E</td><td style="text-align: center;">R 33 E</td></tr> <tr><td style="text-align: center;">S 12</td><td style="text-align: center;">S 7</td></tr> <tr><td style="text-align: center;">S 13</td><td style="text-align: center;">S 18</td></tr> <tr><td colspan="2" style="text-align: center;">1939</td></tr> </table> <div style="text-align: right; margin-right: 20px;">from which,</div>	¼ SIL		R 32 E	R 33 E	S 12	S 7	S 13	S 18	1939	
¼ SIL											
R 32 E	R 33 E										
S 12	S 7										
S 13	S 18										
1939											

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

- A cypress, 7 ins. diam., bears N. $68\frac{1}{4}^\circ$ E., 65 lks. dist., mkd. T 48 S R 33 E S 7 B T
- A cypress, 6 ins. diam., bears S. $62\frac{1}{2}^\circ$ E., 28 lks. dist., mkd. T 48 S R 33 E S 18 B T
- A cypress, 5 ins. diam., bears S. 53° W., 15 lks. dist., mkd. T 48 S R 32 E S 13 B T
- A cypress, 4 ins. diam., bears N. $79\frac{1}{2}^\circ$ W., 60 lks. dist., mkd. T 48 S R 32 E S 12 B T

Land, almost level.
Soil, sandy loam, and muck, 2nd rate.
Timber, cypress, maple, ash, gum, and bay; undergrowth young trees, palmetto, myrtle, and vines.

N. $1^\circ 57'$ W., bet. secs. 7 and 12, T. 48 S. Rs. 32 and 33 E. Private land on both sides of the line.

79.94

Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground, for the cor. of secs. 1, 12, 6, and 7, marked with a scribe,

T 48 S S 6 on NE.,
R 33 E S 7 on SE.,
R 32 E S 12 on SW., and
S 1 on NW., sides.

Point for corner falls in a saw-grass marsh. No bearing trees available.

N. $1^\circ 57'$ W., bet. secs. 1 and 6, T. 48 S., Rs. 32 and 33 E. Private land on both sides of the line.

79.94

The cor. of Tps. 47 and 48 S., Rs. 32 and 33 E., marked by a cypress post, 4 ins. square, 30 ins. long, set 12 ins. in the ground, scribed with appropriate sections on all four sides, accepted as the best remaining evidence of the original corner.

The line bet. Rs. 32 and 33 E., T. 47 S. was retraced $2\frac{1}{2}$ mile north. No evidence of the original survey was found but the topography as given in the original field notes checked the retracement distances. Topography to the east also checked in relation to the cor. of Tps. 47 and 48 S., Rs. 32 and 33 E.

In place of the cypress post,

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground, for the cor. of Tps. 47 and 48 S., Rs. 32 and 33 E., with brass cap mkd.,

T 47 S	
R 32 E	R 33 E
S 36	S 31
S 1	S 6
T 48 S	

from which,

1939

058821
14.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains 25	A cypress, 15 ins. diam., bears N. $62\frac{3}{4}^{\circ}$ E., 236 lks. dist., mkd. T 47 S R 33 E S 31 B T								
85	No bearing tree available to the SE.								
25	A cypress, 10 ins. diam., bears S. $63\frac{3}{4}^{\circ}$ W., 210 lks. dist., mkd. T 48 S R 32 E S 1 B T								
60	A cypress, 12 ins. diam., bears N. $84\frac{3}{4}^{\circ}$ W., 237 lks. dist., mkd. T 47 S R 32 E S 36 B T								
x	To develop control for the boundary of Indian Lands in T. 48 S., R. 33 E., I go to the cor. of Tps. 47 and 48 S., Rs. 33 and 34 E. described in the final field notes of the "Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida".								
10.30	S. $89^{\circ} 06'$ W., bet. secs. 1 and 36, Tps. 47 and 48 S., R. 33 E. Private land on both sides of the line.								
80.97	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.								
	Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 1, 2, 35, and 36, with brass cap mkd., <table border="1" data-bbox="1009 1618 1237 1751"> <tr><td>T 47 S R 33 E</td><td></td></tr> <tr><td>S 35</td><td>S 36</td></tr> <tr><td>S 2</td><td>S 1</td></tr> <tr><td>T 48 S</td><td></td></tr> </table> Point for corner in a saw-glass mark. No bearing from which, 1939.	T 47 S R 33 E		S 35	S 36	S 2	S 1	T 48 S	
T 47 S R 33 E									
S 35	S 36								
S 2	S 1								
T 48 S									
	A live oak, 15 ins. diam., bears N. $17\frac{1}{4}^{\circ}$ E., 74 lks. dist., mkd. T 47 S R 33 E S 36 B T Private land on both sides of the line. No bearing trees available to the south.								
	A cypress, 18 ins. diam., bears N. $34\frac{1}{2}^{\circ}$ W., 136 lks. dist., mkd. T 47 S R 33 E S 35 B T								
	S. $89^{\circ} 06'$ W., bet. secs. 2 and 35, Tps. 47 and 48 S., R. 33 E. Private land on both sides of the line.								
80.97	Proportionate distance; there is no remaining evidence of the original corner post or pits.								
	Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the cor. of secs. 2, 3, 34, and 35, with brass cap mkd., <table border="1" data-bbox="1009 2643 1237 2775"> <tr><td>T 47 S R 33 E</td><td></td></tr> <tr><td>S 34</td><td>S 35</td></tr> <tr><td>S 3</td><td>S 2</td></tr> <tr><td>T 48 S</td><td></td></tr> </table> 1939	T 47 S R 33 E		S 34	S 35	S 3	S 2	T 48 S	
T 47 S R 33 E									
S 34	S 35								
S 3	S 2								
T 48 S									
	No bearing trees available. A cypress post, 4 ins. square, 5 ft. long, set 24 ins. in the ground, bears N., 1 lk. dist.								

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tallahassee, Florida.

Chains

S. 89° 06' W., bet. secs. 3 and 34, Tps. 47 and 48 S., R. 33 E. Private land on both sides of the line.

80.97 Proportionate distance; the cor. of secs. 3, 4, 33, and 34; there is no remaining evidence of the original corner post or pits. No corner set.

S. 89° 06' W., bet. secs. 4 and 33, Tps. 47 and 48 S., R. 33 E. Private land on both sides of the line.

80.97 Proportionate distance; there is no remaining evidence of the original corner post or pits.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 4, 5, 32, and 33, with brass cap mkd.,

T47SR33E

S 32	S 33
------	------

S 5	S 4
-----	-----

T 48 S

1939

from which,

A cabbage palm, 10 ins. diam., bears S. 2½° W., 129 lks. dist., mkd. with an "X"

A cabbage palm, 12 ins. diam., bears S. 32½° W., 147 lks. dist., mkd. with an "X"

No other bearing trees available.

S. 89° 06' W., bet. secs. 5 and 32, Tps. 47 and 48 S., R. 33 E. Private land on both sides of the line.

80.97 Proportionate distance; there is no remaining evidence of the original corner post or pits.

Set a iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 18 ins. in the ground to bed rock, for the cor. of secs. 5, 6, 31 and 32, with brass cap mkd.,

T47SR33E

S 31	S 32
------	------

S 6	S 5
-----	-----

T 48 S

1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, set 24 ins. in the ground, bears S., 1 lk. dist.

S. 89° 06' W., bet. secs. 6 and 31, Tps. 47 and 48 S., R. 33 E. Private land on both sides of the line.

82.31 The cor. of Tps. 47 and 48 S., Rs. 32 and 33 E. Previously described.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

To develop control for the boundary of Indian Land in T. 48 S., R. 32 E. the line is continued west between Tps. 47 and 48 S., R. 32 E.

S. 89° 29' W., bet. secs. 1 and 36, Tps. 47 and 48 S., R. 32 E. Private land on both sides of the line.

80.06 Proportionate distance; there is no remaining evidence of the original corner post or bearing trees. Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground, for the cor. of secs. 1, 2, 35, and 36, with brass cap mkd.,

T47SR32E
S 35 | S 36
S 2 | S 1
T 48 S

1939 from which,

A cypress, 20 ins. diam., bears N. 71½° E., 13 lks. dist., mkd. T 47 S R 32 E S 36 B T

A cabbage, 10 ins. diam., bears S. 73½° E., 40 lks. dist., mkd. with an "X"

A cypress, 6 ins. diam., bears S. 60½° W., 34 lks. dist., mkd. T 48 S R 32 E S 2 B T

A cypress, 7 ins. diam., bears N. 78° W., 26 lks. dist., mkd. T 47 S R 32 E S 35 B T

S. 89° 29' W., bet. secs. 35 and 2, Tps. 47 and 48 S., R. 32 E. Private land on both sides of the line.

57.00 There is no remaining evidence of the original post set at this point or the bearing trees that were taken. The original line was relinquished at this point due to an impracticable swamp which is not in evidence now.

80.06 Proportionate distance; there is no remaining evidence of the original corner post or bearing trees that was set and marked at 80 chains north from the cor. of secs. 2, 3, 10, and 11, T. 48 S., R. 32 E.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 20 ins. in the ground, for the cor. of secs. 2, 3, 34, and 35, with brass cap mkd.,

T47SR32E
S 34 | S 35
S 3 | S 2
T 48 S
1939

No bearing trees available. A cypress post, 3 ins. square, 4 ft. long, set 18 ins. in the ground, bears W., 2 lks. dist.

S. 89° 29' W., bet. secs. 3 and 34, Tps. 47 and 48 S., R. 32 E. Private land on both sides of the line.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

80.06 Proportionate distance; there is no remaining evidence of the original corner post or bearing trees that were taken at 80 chains north of the cor. of secs. 3, 4, 9, and 10, T. 48 S., R. 32 E. No corner set.

S. 89° 29' W., bet. secs. 4 and 33, Tps. 47 and 48 S., R. 32 E. Private land on both sides of the line.

40.03 The 1/4 cor. of secs. 4 and 33 which is a Collier County concrete monument, 3 ft. long, 4 ins. square, 18 ins. in the ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 2 ins. diam., 1/4 in. thick, mkd.,

T 47 S
33
1/4
T 48 S
R 32 E

No bearing trees taken.

A concrete monument, 6 ins. square, 6 ins. of it above ground, bears S., 1 lk. dist., mkd. in the concrete, "4" and "33"

From the cor. of Tps. 48 and 49 S., Rs. 32 and 33 E.;

Thence,

S. 88° 42' W., bet. secs. 1 and 36, Tps. 48 and 49 S., R. 32 E., marking and blazing the true line.

Through a cypress swamp. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.

6.00 Line is tangent to a palmetto ridge to the south of line.

20.00 Enter maple, ash, and cabbage palm in cypress.

20:40 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.

33.00 Enter a willow and maple marsh, bears N. and S.

40.80 The accepted 1/4 sec. corner; there is no remaining evidence of the original corner post or bearing trees.

Corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, 12 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd.,

T 48 S
HENDRY COUNTY
36
1/4
R 32 E
COLLIER COUNTY
T 49 S

from which,

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains	
	A maple, 5 ins. diam., bears S. 33° W., 27 lks. dist., mkd. $\frac{1}{4}$ S 1 B T
	A maple, 5 ins. diam., bears N. 54° W., 87 lks. dist., mkd. $\frac{1}{4}$ S 36 B T
	S. 88° 30' W., bet. secs. 1 and 36 ($W\frac{1}{2}$).
4.20	Enter cypress in marsh.
11.20	Leave marsh, enter open grass land, bears NW. and SE.
15.20	Enter a hammock, bears NW. and SE.
20.45	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
20.60	Leave hammock, enter open grass land with myrtle clumps, bears N. and S.
40.90	The accepted cor. of secs. 1, 2, 35, and 36; there is no remaining evidence of the original corner post or bearing trees.
	Corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, with 20 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass tablet, 3 ins. diam., $\frac{1}{4}$ in. thick, mkd.,
	T 48 S HENDRY COUNTY
	SIL 35 36 2 1 R 32 E
	COLLIER COUNTY T 49 S
	from which, New bearing trees are taken,
	A cabbage palm, 9 ins. diam., bears S. 44° E., 83 lks. dist., mkd. with an "X"
	A cabbage palm, 12 ins. diam., bears S. 3° W., 394 lks. dist., mkd. with an "X"
	A cabbage palm, 12 ins. diam., bears N. 52° W., 497 lks. dist., mkd. with an "X"
	No bearing tree available to the NE.
	Land, almost level.
	Soil, swamp and sandy loam, 2nd rate.
	Timber, cypress, maple, ash, gum, and cabbage palm; undergrowth, young trees, myrtle, palmetto, and vines.
	S. 88° 30' W., bet. secs. 2 and 35, Tps. 48 and 49 S., R. 32 E.
	Over almost level land and scrub palmetto. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.
9.30	Enter low hammock with growth of thick maple, ash, water oak, willow and cabbage palm, bears NW. and SE.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains 20.46 Set an ash post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
 30.30 Leave hammock, enter open grassland, bears N. and S.
 40.925 The accepted $\frac{1}{4}$ sec. corner; there is no remaining evidence of the original corner post or bearing trees.

Corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, 12 ins. of it above ground, In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in. thick, mkd.,

T 48 S
HENDRY COUNTY

$$\frac{35}{2}$$

R 32 E

COLLIER COUNTY

T 49 S

from which,

New bearing trees are taken,

A water oak, 10 ins. diam., bears S. 24° W., 46 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.

An ash, 6 ins. diam., bears N. 42° W., 35 lks. dist., mkd. $\frac{1}{4}$ S 35 B T

S. 88° 33' W., bet. secs. 2 and 35 ($W\frac{1}{2}$).

Thence through thick ash, maple, water oak, and scrub palmetto.

9.37 Leave thicket, enter open grass land, bears N. and S.

10.72 A road, bears NW. and SE.

17.40 Leave grass land, enter swamp with growth of ash, willow, maple, cabbage palm, and cypress, bears N. and S.

40.00 Leave swamp, enter a saw-grass marsh, bears N. 30° W. and S. 30° E.

41.23 The accepted cor. of secs. 2, 3, 34, and 35, T. 48 S., Rs. 32 and 33 E.; there is no remaining evidence of the original corner post or bearing trees.

Corner is marked by a Collier County concrete monument, 3 ft. long, 4 ins. square, 16 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in. thick, mkd.,

T 48 S
HENDRY COUNTY

SIL

$$\frac{34}{3} \quad \frac{35}{2}$$

R 32 E

COLLIER COUNTY

T 49 S

from which,

38825
827
20

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

New bearing trees are taken,
 A pine, 20 ins. diam., bears N. $0\frac{1}{2}^{\circ}$ W., 461 lks. dist., mkd. T 48 S R 32 E S 35 B T
 A cypress, 6 ins. diam., bears S. $23\frac{3}{4}^{\circ}$ E., 310.0 lks. dist., mkd. T 49 S R 32 E S 2 B T
 A cypress, 6 ins. diam., bears S. $1\frac{1}{2}^{\circ}$ W., 312 lks. dist., mkd. T 49 S R 32 E S 3 B T
 A pine, 20 ins. diam., bears N. $51\frac{1}{2}^{\circ}$ W., 422 lks. dist., mkd. T 48 S R 32 E S 34 B T
 Land, almost level.
 Soil, swamp and sandy loam, 2nd rate.
 Timber, cypress, willow, ash, oak, bay, gum, maple, and pine; undergrowth, young trees, myrtle, palmetto, saw-grass, and vines.

N. $1^{\circ} 37'$ W., bet. secs. 34 and 35, T. 48 S., R. 32 E., marking and blazing the true line.

Over almost level saw-grass marsh. Private land to west.

- 2.00 Leave marsh, enter palmetto and pine, bears N. 60° E. and S. 60° W.
- 14.00 Enter a saw-grass marsh, bears N. 60° E. and S. 60° W.
- 20.09 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
- 21.00 Leave marsh, enter open grass land with patches of palmetto, bears E. and W.
- 35.00 Enter scattering pine timber, bears E. and W.
- 40.17 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.
- Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,
 $\frac{1}{4}$ SIL. S 34 | S 35
 1939 from which,
 A pine, 14 ins. diam., bears S. $49\frac{1}{2}^{\circ}$ E., 172 lks. dist., mkd. $\frac{1}{4}$ S 35 B T
 A pine, 12 ins. diam., bears S. $23\frac{3}{4}^{\circ}$ W., 149 lks. dist., mkd. $\frac{1}{4}$ S 34 B T
- 43.30 Enter a thicket of scrub oak, myrtle, and palmetto, bears NE. and SW.
- 46.00 Leave thicket, enter palmetto, bears E. and W.
- 55.00 Leave palmetto, enter open grass land, bears E. and W.
- 60.26 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
- 75.80 A road, bears NW. and SE.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains
80.35

Proportionate distance; there is no remaining evidence of the original corner or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground, for the cor. of secs. 26, 27, 34 and 35, with brass cap mkd.,

T 48 S	R 32 E
S 27	S 26
S 34	S 35

1939

From which,

A cypress, 4 ins. diam., bears N. $45\frac{1}{2}^{\circ}$ E., 573 lks. dist., mkd. T 48 S R 32 E S 26 B T

A cypress, 6 ins. diam., bears N. $43\frac{1}{2}^{\circ}$ W., 499 lks. dist., mkd. T 48 S R 32 E S 27 B T

No other bearing trees available.

The cor. of secs. 25, 30, 31, and 36, T. 48 S., Rs. 32 and 33 E., bears N. $88^{\circ} 42'$ E., 163.40 chs. dist., previously described.

The cor. of secs. 27, 28, 33, and 34, T. 48 S., R. 32 E., bears S. $89^{\circ} 18'$ W., 81.46 chs. dist., marked with,

A Collier County concrete monument, 3 ft. long, 4 ins. square, 18 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, $2\frac{1}{2}$ ins. diam., $\frac{1}{4}$ in. thick, mkd.,

T 48 S
28 27
33 34
R 32 E

Land, almost level.

Soil, swamp and sandy loam, 2nd rate.

Timber, cypress, maple, ash, cabbage palm, pine, and oak; undergrowth, young trees, myrtle, palmetto, saw-grass and vines.

N. $1^{\circ} 37'$ W., bet. secs. 26 and 27, marking and blazing the true line.

Over almost level land, through scattering patches of palmetto and grass land. Private land to the west.

2.50 Enter palmetto and scattering pine timber, bears NE. and SW.

20.09 Set a cypress post, 4 ins. square 5 ft. long, 20 ins. in the ground.

20.10 Line follows along the west edge of a swamp.

40.17 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 5 ins. diam., 20 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains		Chains
	<p>Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.</p> <p>1939 from which,</p> <p>A cypress, 6 ins. diam., bears S. $79\frac{1}{2}^{\circ}$ E., 19 lks. dist., mkd. $\frac{1}{4}$ S 26 B T</p> <p>A cypress, 4 ins. diam., bears N. 57° W., 4 lks. dist., mkd. $\frac{1}{4}$ S 27 B T</p> <p>Corner is in the SW. edge of a swamp, thence through swamp.</p>	
44.00	Leave swamp, enter palmetto and scattering pine, bears E. and W.	
60.26	Set a cypress post, 4 ins. square, 5 ft. long, 18 ins. in the ground.	
69.70	Enter open grass land with patches of palmetto and scattering pine and cypress, bears E. and W.	
80.35	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.	
	<p>Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground, for the cor. of secs. 22, 23, 26, and 27, with brass cap mkd.,</p> <p>T 48 S R 32 E S 22 S 23 S 27 S 26 SIL 1939 from which,</p> <p>A pine, 8 ins. diam., N. $58\frac{3}{4}^{\circ}$ E., 366 lks. dist., mkd. T 48 S R 32 E S 23 B T</p> <p>A cypress, 6 ins. diam., bears S. $63\frac{1}{4}^{\circ}$ E., 327 lks. dist., mkd. T 48 S R 32 E S 26 B T</p> <p>A pine, 6 ins. diam., bears S. $77\frac{1}{2}^{\circ}$ W., 101 lks. dist., mkd. T 48 S R 32 E S 27 B T</p> <p>A pine, 11 ins. diam., bears N. $70\frac{1}{2}^{\circ}$ W., 183 lks. dist., mkd. T 48 S R 32 E S 22 B T</p>	
	<p>The cor. of secs. 19, 24, 25, and 30, T. 48 S., Rs. 32 and 33 E., bears N. $88^{\circ} 51'$ E., 163.04 chs. dist., previously described.</p> <p>The cor. of secs. 21, 22, 27, and 28, T. 48 S., R. 32 E., bears S. $89^{\circ} 53'$ W., 81.19 chs. dist., accepted as the best remaining evidence of the original corner, marked with,</p> <p>A Collier County concrete monument, 3 ft. long, 4 ins. square, 18 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 2 1/2 ins. diam., 1/4 in. thick, mkd.,</p> <p>T 48 S 21 22 28 27 R 32 E</p>	

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

Land, almost level.
Soil, swamp and sandy loam, 2nd rate.
Timber, cypress, pine, bay, gum, and cabbage palm; undergrowth, young trees, palmetto, myrtle, and vines.

N. 1° 29' W., bet. secs. 22 and 23, marking and blazing the true line. Private land to the west.

Over almost level land, with patches of open grass land and palmetto, and scattering pine and cypress.

20.09 Set a cypress post, 4 ins. square, 5 ft. long, 2 1/4 ins. in the ground.

25.00 Enter a hammock, bears NW. and SE.

30.00 Leave hammock, enter a cypress swamp, bears NW. and SE.


32.10 Enter a pond, bears N. 60° W. and S. 60° E.

35.60 Leave pond, continue through swamp, bears N. 60° W. and S. 60° E.

39.00 Leave swamp, enter a hammock, timber, oak, cabbage palm, and pine, bears N. 20° W., and S. 20° E.

40.17 1/2 Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 4 ins. diam., 16 ins. in the ground, for the 1/4 Sec. cor., with brass cap mkd.,



from which,

A cabbage palm, 10 ins. diam., bears N. 80° E., 10 lks. dist., mkd. with an "X"

A cabbage palm, 10 ins. diam., bears S. 40° W., 3 lks. dist., mkd. with an "X"

59.26 Leave hammock, enter a cypress swamp, bears E. and W.

60.26 Set a cypress post, 4 ins. square, 5 ft. long, 2 1/4 ins. in the ground.

63.60 Leave swamp, enter open grass land, bears SE. and SW.

64.16 A road, bears N. 70° E. and S. 70° W.

66.40 Enter a cypress swamp, bears E. and NW.

73.50 Leave swamp, enter palmetto and scattering pine, bears NE. and SW.

80.35 Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 5 ins. diam., 20 ins. in the ground, for the cor. of secs. 14, 15, 22, and 23, with brass cap mkd.,

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains							
	<p style="text-align: right;">T 48 S R 32 E</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>S 15</td> <td>S 14</td> </tr> <tr> <td>S 22</td> <td>S 23</td> </tr> </table> <p style="text-align: center;">SIL</p>	S 15	S 14	S 22	S 23		
S 15	S 14						
S 22	S 23						
	<p style="text-align: right;">1939 from which,</p> <p>A cabbage palm, 12 ins. diam., bears N. 49° E., 49 lks. dist., mkd. with an "X"</p> <p>A cabbage palm, 10 ins. diam., bears S. 54° E., 22 lks. dist., mkd. with an "X"</p> <p>A cabbage palm, 9 ins. diam., bears S. 16 1/4° W., 60 lks. dist., mkd. with an "X"</p> <p>A cabbage palm, 10 ins. diam., bears N. 15 3/4° W., 47 lks. dist., mkd. with an "X"</p> <p>The cor. of secs. 2, 3, 34, and 35, Tps. 47 and 48 S., R. 32 E., bears N. 1° 25' W., 241.05 chs. dist., previously described.</p> <p>The cor. of secs. 15, 16, 21, and 22, T. 48 S., R. 32 E., bears N. 89° 35' W., 80.93 chs. dist., accepted as the best remaining evidence of the original corner, marked with,</p> <p>A Collier County concrete monument, 3 ft. long, 4 ins. square, 18 ins. of it above ground. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 2 1/2 ins. diam., 1/4 in. thick, mkd.,</p>						
	<table style="margin-left: auto; margin-right: auto;"> <tr> <td>T 48 S</td> <td></td> </tr> <tr> <td>16</td> <td>15</td> </tr> <tr> <td>21</td> <td>22</td> </tr> </table> <p style="text-align: center;">R 32 E</p>	T 48 S		16	15	21	22
T 48 S							
16	15						
21	22						
	<p>This corner is substantiated by topography to the North, South, and East which agrees closely with that given in the original field notes.</p> <p>Land, almost level.</p> <p>Soil, swamp and sandy loam, 2nd rate.</p> <p>Timber, cypress, cabbage palm, oak, ask, bay, gum, pine, and maple; undergrowth, young trees, palmetto, myrtle, and vines.</p>						
	<p>N. 89° 04' E., bet. secs. 14 and 23, marking and blazing the true line. Private land to the north.</p> <p>Over almost level land, through palmetto and scattering pine and cabbage palm timber.</p>						
4.00	Enter a cypress swamp, bears NW. and SE.						
20.26	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground. Post is on the east edge of swamp, thence over open grass land with patches of palmetto, bears N. and S.						
29.60	Enter semi cypress swamp, bears NW. and SE.						
40.52 1/2	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.						

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains	<p>Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 5 ins. diam., 24 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,</p> <p style="text-align: center;"> $\frac{1}{4}$ $\frac{S\ 14}{S\ 23}$ 1939 SIL from which, </p> <p>A cypress, 10 ins. diam., bears S. 2° W., 90 lks. dist., mkd. $\frac{1}{4}$ S 23 B T</p> <p>A cypress, 12 ins. diam., bears N. $11\frac{1}{4}^\circ$ W., 11 lks. dist., mkd. $\frac{1}{4}$ S 14 B T</p> <p>Corner is on the south edge of swamp. Continue through scrub cypress swamp.</p> <p>53.00 Line passes along the south end of a pond, thence through heavy cypress.</p> <p>60.79 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.</p> <p>61.30 Leave heavy cypress, enter scrub cypress.</p> <p>81.05 Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 5 ins. diam., 30 ins. in the ground, for the cor. of secs. 13, 14, 23, and 24, with brass cap mkd.,</p> <p style="text-align: center;"> T48S R32E $\frac{S\ 14\ S\ 13}{S\ 23\ S\ 24}$ 1939 SIL from which, </p> <p>A cypress, 7 ins. diam., bears N. $78\frac{1}{4}^\circ$ E., 36 lks. dist., mkd. T 48 S R 32 E S 13 B T</p> <p>A cypress, 6 ins. diam., bears S. $0\frac{1}{2}^\circ$ E., 64 lks. dist., mkd. T 48 S R 32 E S 24 B T</p> <p>A cypress, 5 ins. diam., bears S. 40° W., 35 lks. dist., mkd. T 48 S R 32 E S 23 B T</p> <p>A cypress, 7 ins. diam., bears N. $72\frac{1}{2}^\circ$ W., 29 lks. dist., mkd. T 48 S R 32 E S 14 B T</p> <p>The cor. of secs. 1, 2, 35, and 36, Tps. 47 and 48 S., R. 32 E., bears N. $1^\circ 39'$ W., 240.55 chs. dist., previously described.</p> <p>The cor. of secs. 1, 2, 35, and 36, Tps. 48 and 49 S., R. 32 E., bears S. $1^\circ 50'$ E., 240.28 chs. dist., previously described.</p> <p>Land, almost level. Soil, swamp and sandy loam, 2nd rate. Timber, cypress, maple, bay, gum, and pine; undergrowth young trees, myrtle, palmetto, and vines.</p> <p>N. $88^\circ 57'$ E., bet. secs. 13 and 24, marking and blazing the true line.</p>
--------	--

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., Rs. 32 and 33 E., Tall, Mer., Florida.

Chains	
	Over almost level land, through a scrub cypress swamp which has patches of maple and ash and heavy undergrowth. Along the boundary of Indian land with private land to the north and Indian land to the south.
20.32	Set a cypress post, 3 ins. square, 4 ft. long, 2 1/4 ins. in the ground.
40.63 1/2	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.
	Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 5 ins. diam., 30 ins. in the ground, for the 1/4 sec. cor., with brass cap mkd.,
	Corner is on the south edge of swamp. Continue through S 13 1/4 S 24 1939 SIL Line passes through heavy cypress. from which,
	A cypress, 6 ins. diam., bears S. 74 3/4° E., 17.00 lks. dist., mkd. 1/4 S 24 B T
	A cypress, 8 ins. diam., bears N. 0 1/2° W., 49 lks. dist., mkd. 1/4 S 13 B T
47.27	A road, bears NE. and SW.
60.95	Set a cypress post, 4 ins. square, 5 ft. long, 18 ins. in the ground.
81.27	The cor. of secs. 13, 18, 19, and 24, T. 48 S., Rs. 32 and 33 E., previously described.
	Land, almost level. Soil, mostly swamp with white sand, 3rd rate. Timber, cypress, bay, gum, ash, and maple; undergrowth, young trees, myrtle, and vines.
	From the cor. of secs. 7, 12, 13, and 18, T. 48 S., Rs. 32 and 33 E., previously described.
	N. 89° 19' E., bet. secs. 7 and 18, T. 48 S., R. 33 E., marking and blazing the true line.
	Over almost level land, through scrub cypress and myrtle. Along the boundary of Indian Land, private land to the north and Indian land to the south.
14.30	Enter a thicket of maple, ash, and thick undergrowth, bears N. and S.
20.12	Set a cypress post, 4 ins. square, 5 ft. long, 2 1/4 ins. in the ground.
26.40	Leave thicket, continue through scrub cypress swamp, bears N. and S.
38.40	Leave swamp, enter open grass land, bears N. and S.
39.74	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.
	Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 2 1/4 ins. in the ground, for the 1/4 sec. cor., with brass cap mkd.,

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

$\frac{1}{4}$ S 7
S 18
SIL

1939 from which,

A cypress, 6 ins. diam., bears S. $55\frac{3}{4}^{\circ}$ W.,
172 lks. dist., mkd. $\frac{1}{4}$ S 18 B T

A cypress, 6 ins. diam., bears N. $31\frac{3}{4}^{\circ}$ W., 98
lks. dist., mkd. $\frac{1}{4}$ S 7 B T

53.50

Enter a cypress swamp, bears NW. and SE.

56.70

Leave swamp, enter open grass land, bears NE. and SW.

60.36

Set a cypress post, 4 ins. square, 5 ft. long, 24 ins.
in the ground.

75.00

A road, bears NE. and SW.

80.48

Proportionate distance; there is no remaining evidence
of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in
concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground,
for the cor. of secs. 7, 8, 17, and 18, with brass cap
mkd.,

T48S R33E

S 7 | S 8

S 18 | S 17

SIL

1939

from which,

A cypress, 5 ins. diam., bears N. $58\frac{3}{4}^{\circ}$ E., 531
lks. dist., mkd. T 48 S R 33 E S 8 B T

A cypress, 5 ins. diam., bears S. $7\frac{3}{4}^{\circ}$ E., 249
lks. dist., mkd. T 48 S R 33 E S 17 B T

A cypress, 6 ins. diam., bears S. $17\frac{1}{4}^{\circ}$ W., 285
lks. dist., mkd. T 48 S R 33 E S 18 B T

A cypress, 4 ins. diam., bears N. 37° W., 513
lks. dist., mkd. T 48 S R 33 E S 7 B T

The cor. of secs. 5, 6, 31, and 32, Tps. 47 and
48 S., R. 33 E., bears N. $1^{\circ} 16'$ W., 160.13 chs.
distant, previously described.

The cor. of secs. 5, 6, 31, and 32, Tps. 48 and
49 S., R. 33 E., bears S. $1^{\circ} 51'$ E., 320.16 chs.
dist., previously described.

Land, almost level.
Soil, sandy loam, 2nd rate.
Timber, cypress, maple, and ash; undergrowth, young trees,
myrtle, and vines.

N. $89^{\circ} 10'$ E., bet. secs. 8 and 17, marking and blazing
the true line.

Over almost level land, through scattering cypress. Along
the boundary of Indian Land, private land to the N. and
Indian land to the S.

15.90

Enter cypress swamp, bears N. and S.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains	Description
20.41	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
22.90	Leave swamp, enter open grass land with scattering patches of palmetto, bears N. and S.
40.82	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees. Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground, for the $\frac{1}{4}$ sec. cor. with brass cap mkd.,
	$\begin{array}{r} \frac{1}{4} \text{ S } 8 \\ \hline \text{S } 17 \\ 1939 \end{array} \text{ SIL}$ from which,
	A cypress, 4 ins. diam., bears S. 83° E., 405 lks. dist., mkd. $\frac{1}{4}$ S 17 B T
	A pine, 16 ins. diam., bears S. $89^{\circ} \frac{3}{4}$ W., 256 lks. dist., mkd. $\frac{1}{4}$ S 8 B T
59.90	A road, bears N. 20° W. and S. 20° E.
61.23	Set a cypress post, 4 ins. square, 5 ft. long, 18 ins. in the ground.
73.90	Enter scrub cypress, bears N. and S.
81.64	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees. Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 8; 9, 16, and 17, with brass cap mkd.,
	$\begin{array}{r} \text{T 48 S R 33 E} \\ \hline \text{S } 8 \quad \text{S } 9 \\ \hline \text{S } 17 \quad \text{S } 16 \\ \text{SIL} \\ 1939 \end{array}$ from which,
	A cypress, 6 ins. diam., bears N. $71^{\circ} \frac{1}{2}$ E., 280 lks. dist., mkd. T 48 S R 33 E S 9 B T
	A cypress, 4 ins. diam., bears S. $33^{\circ} \frac{1}{2}$ E., 250 lks. dist., mkd. T 48 S R 33 E S 16 B T
	A cypress, 5 ins. diam., bears S. 75° W., 219 lks. dist., mkd. T 48 S R 33 E S 17 B T
	A cypress, 5 ins. diam., bears N. $28^{\circ} \frac{1}{4}$ W., 284 lks. dist., mkd. T 48 S R 33 E S 8 B T
	The cor. of secs. 4, 5, 32, and 33, Tps. 47 and 48 S., R. 33 E., bears N. $1^{\circ} 29'$ W., 160.29 chs. dist., previously described.
	The cor. of secs. 4, 5, 32, and 33, Tps. 48 and 49 S., R. 33 E., bears S. $1^{\circ} 31'$ E., 320.39 chs. dist., previously described.
	Land, almost level. Soil, sandy loam, 2nd rate. Timber, cypress, pine, gum, and bay; undergrowth young trees, myrtle, palmetto, and vines.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains

20.05 N. 89° 14' E., bet. secs. 9 and 16, marking and blazing the true line.

11.04 Over almost level land, through scattering scrub cypress and myrtle, along the boundary of Indian Land, private land to the N. and Indian land to the S.

701

20.40 Set a cypress post, 4 ins. square, 5 ft. long, 18 ins. in the ground.

39.40 Enter a cypress pond and thicket, bears NW. and SE.

40.79½ Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the ¼ sec. cor. with brass cap mkd.,

1/4 S 9
S 16
SIL

from which,

1939

A cypress, 6 ins. diam., bears S. 36° W., 10 lks. dist., mkd. 1/4 S 16 B T

A cypress, 5 ins. diam., bears N. 30 1/2° W., 5 lks. dist., mkd. 1/4 S 9 B T

47.20 Leave cypress pond, continue through scrub cypress and myrtle, bears N. and S.

61.19 Set a cypress post, 3 ins. square, 5 ft. long, 18 ins. in the ground.

74.25 Line is tangent to a hammock which is north of line.

76.00 Enter maple and ash thicket in cypress, bears NW. and SE.

79.90 Leave thicket, enter scrub cypress, bears NE. and SW.

81.59 The cor. of secs. 9, 10, 15, and 16, as determined by the point of the original stake corner, in place of which,

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the cor. of secs. 9, 10, 15, and 16, with brass cap mkd.,

T48S R33E
S 9 | S 10
S 16 | S 15
SIL

1939

from which,

The remains of the original bearing trees,

A cypress, 10 ins. diam., bears S. 21 3/4° W., 10 lks. dist., has blaze and plain scribe marks T 48 R 33 S 16. A ring-growth count of the over-growth proves this tree to be an original bearing tree.

A cypress stump, bears N. 9 1/4° E., 30 lks. dist.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall, Mer., Florida.

Chains	And new bearing trees, A cypress, 8 ins. diam., bears N. 34 1/2° E., 9 lks. dist., mkd. T 48 S R 33 E S 10 B T A cypress, 8 ins. diam., bears S. 40 1/2° E., 107 lks. dist., mkd. T 48 S R 33 E S 15 B T A cypress, 8 ins. diam., bears S. 50 1/2° W., 45 lks. dist., mkd. T. 48 S R 33 E S 16 B T A cypress, 9 ins. diam., bears N. 51° W., 38 lks. dist., mkd. T 48 S R 33 E S 9 B T Land, almost level. Soil, sandy loam, 2nd rate. Timber, cypress, maple, ash, gum, bay, and pine; undergrowth, young trees, palmetto, and vines.
	S. 0° 47' W., bet. secs. 15 and 16, marking and blazing the true line.
	Over almost level land, through scrub cypress and myrtle, along the boundary of Indian Land, private land to the E. and Indian land to the W.
7.00	Enter open grass land, bears N. 70° W. and S. 20° E.
21.00	Leave grass land, enter a point of scrub cypress, bears NE. and SW.
24.00	Leave cypress, enter open grass land, bears NW. and SE.
39.50	Leave grass land, enter cypress scrub, bears E. and W.
40.44	The 1/4 sec. cor., as determined from the remains of the original bearing trees. Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the 1/4 sec. cor., with brass cap mkd., The cor. of secs. 10, 15, and 16, as determined by the point of the original stake corner, in place of which, S 16 S 15 SIL 1939 from which, The remains of the original bearing trees, A cypress, 12 ins. diam., bears S. 27° E., 98 lks. dist., has blaze and plain scribe marks 1/4 S 15 A cypress stump, bears S. 82 3/4° W., 46 lks. dist. And new bearing trees, A cypress, 10 ins. diam., bears S. 46° E., 118 lks. dist., mkd. 1/4 S 15 B T A cypress, 10 ins. diam., bears S. 80 1/2° W., 114 lks. dist., mkd. 1/4 S 16 B T
	S. 0° 01' W., bet. secs. 15 and 16. (S 1/2)
12.50	Leave cypress enter open grass land, bears E. and W.
12.40	Leave grass land, enter cypress swamp, bears NE. and SW.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains
20.05½ Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.

40.11 The cor. of secs. 15, 16, 21, and 22, as determined by the point of the original stake corner, in place of which, Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 15, 16, 21, and 22, with brass cap mkd.,

T48S	R33E
S 16	S 15
S 21	S 22
SIL	

1939 from which,

The remains of the original bearing trees,

A cypress, 9 ins. diam., bears N. 27° E., 50 lks. dist., has blaze and plain scribe marks T 48 R 33 S 15

A cypress, 7 ins. diam., bears S. 28° E., 18 lks. dist., has blaze and plain scribe marks T 48 R 33 S. 22

A cypress, 10 ins. diam., bears S. 49¼° W., 20 lks. dist., has blaze and plain scribe marks T 48 R 33 S 21

A cypress, 8 ins. diam., bears N. 31½° W., 36 lks. dist., has blaze and plain scribe marks T 48 R 33 S 16

And new bearing trees,

A cypress, 7 ins. diam., bears N. 31½° E., 14 lks. dist., mkd. T 48 S R 33 E S 15 B T

A cypress, 10 ins. diam., bears S. 70½° E., 70 lks. dist., mkd. T 48 S R 33 E S 22 B T

A cypress, 7 ins. diam., bears S. 62¼° W., 26 lks. dist., mkd. T 48 S R 33 E S 21 B T

A cypress, 10 ins. diam., bears N. 13¼° W., 81 lks. dist., mkd. T 48 S R 33 E S 16 B T

Land, almost level.
Soil, sandy loam, 2nd rate.
Timber, cypress, maple, ash, and pine; undergrowth, young trees, myrtle, palmetto, and vines.

N. 89° 12' E., bet. secs. 15 and 22, marking and blazing the true line.

Over almost level land, through scrub cypress, along the boundary of Indian Land, private land to the N. and indian land to the S.

19.40 Leave cypress, enter open grass land with patches of palmetto, bears NW. and SE.

20.38 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains 40.76½	<p>Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the ¼ sec. cor., with brass cap mkd.,</p> <p style="text-align: center;">S 15 S 22 SIL 1939</p> <p style="text-align: right;">from which,</p> <p>No bearing trees available.</p> <p>A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.</p>
60.50	Enter a small patch of pine timber, bears NE. and SW.
61.15	Set a pine post, 4 ins. square, 5 ft. long, 30 ins. in the ground.
61.60	Leave pine and continue through palmetto and open grass land, bears NW. and SE.
71.00	Enter a cypress pond, bears NW. and SE.
81.53	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.
	<p>Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 14, 15, 22, and 23, with brass cap mkd.,</p>
	<p style="text-align: center;">T48S R33E S 15 S 14 S 22 S 23 SIL 1939</p> <p style="text-align: right;">from which,</p>
	A cypress, 5 ins. diam., bears N. 8¼° E., 31 lks. dist., mkd. T 48 S R 33 E S 14 B T
	A cypress, 7 ins. diam., bears N. 5¼° W., 213 lks. dist., mkd. T 48 S R 33 E S 15 B T
	No other bearing trees available.
	The cor. of secs. 2, 3, 34, and 35, Tps. 47 and 48 S., R. 33 E., bears N. 1° 07' W., 241.21 chs. dist., previously described.
	The cor. of secs. 2, 3, 34, and 35, Tps. 48 and 49 S., R. 33 E., bears S. 1° 25' E., 241.09 chs. dist., previously described.
	<p>Land, almost level.</p> <p>Soil, sandy loam, 2nd rate.</p> <p>Timber, cypress, pine, maple, ash, gum, and bay; undergrowth, young trees, palmetto, and vines.</p>
	N. 89° 23' E., bet. secs. 14 and 23, marking and blazing the true line.
	Through a cypress pond, along the boundary of Indian land, private land to the N., indian land to the S.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains	
1.95	Leave pond, enter cypress, bears NW. and SE.
20.50	Leave cypress, enter palmetto and oak, bears NW. and SE.
20.50	Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.
25.30	Leave oak and palmetto, enter a cypress pond, bears N. and S.
41.00½	Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.
61.30	Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the ¼ sec. cor., with brass cap mkd.,
	S 14 S 23 SIL 1939
	from which,
	A cypress, 5 ins. diam., bears S. 20½° W., 90 lks. dist., mkd. ¼ S 23 B T
	A cypress, 5 ins. diam., bears N. 84½° W., 70 lks. dist., mkd. ¼ S 14 B T
42.10	Leave pond, enter scattering cabbage palm and pine timber, bears NW. and SE.
61.51	Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.
69.50	Leave high land, enter a cypress pond, bears N. and S.
81.00	Leave pond, enter a cabbage palm and palmetto hammock, bears NW. and SE.
82.01	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.
	Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the cor. of sec. 13, 14, 23, and 24, with brass cap mkd.,
	T 48 S R 33 E S 14 S 13 S 23 S 24 SIL 1939
	from which,
	A cabbage palm, 10 ins. diam., bears N. 1½° E., 16 lks. dist., mkd. with an "X"
	A cabbage palm, 10 ins. diam., bears S. 45¾° E., 68 lks. dist., mkd. with an "X"
	A cypress, 20 ins. diam., bears S. 32½° W., 43 lks. dist., mkd. T 48 S R 33 E S 23 B T
	A cypress, 14 ins. diam., bears N. 75½° W., 83 lks. dist., mkd. T 48 S R 33 E S 14 B T
	The cor. of secs. 13, 18, 19, and 24, T. 48 S., Rs. 33 and 34 E., bears N. 88° 55' E., 81.72 chs. dist., previously described.

2308

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

<p>Chains</p>	<p>The cor. of secs. 23, 24, 25, and 26, T. 48 S., R. 33 E., as determined from the remains of the original bearing trees; bears S. 1° 40' E., 80.41 chs. dist., where set.</p> <p>An iron post, 3 ft. long, 1 in. diam., encased in concrete 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the cor. of secs. 23, 24, 25, and 26, with brass cap mkd.,</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>T 48 S</td> <td>R 33 E</td> </tr> <tr> <td>S 23</td> <td>S 24</td> </tr> <tr> <td>S 26</td> <td>S 25</td> </tr> </table> <p style="text-align: center;">1939</p> <p style="text-align: right;">from which,</p> <p>The remains of the original bearing trees,</p> <p>A cypress, 12 ins. diam., bears N. 67° E., 27 lks. dist., has rotted blaze and negatives of scribe marks. Corner established from this tree.</p> <p>A fallen cypress, 10 ins. diam., bears S. 16° E., 35 lks. dist., has badly burned scar, or blaze.</p> <p>And new bearing trees,</p> <p>A cypress, 8 ins. diam., bears N. 69½° E., 57 lks. dist., mkd. T 48 S R 33 E S 24 B T</p> <p>A cypress, 10 ins. diam., bears S. 61° E., 56 lks. dist., mkd. T 48 S R 33 E S 25 B T</p> <p>A cypress, 6 ins. diam., bears S. 44° W., 14 lks. dist., mkd. T 48 S R 33 E S 26 B T</p> <p>A cypress, 7 ins. diam., bears N. 13½° W., 61 lks. dist., mkd. T 48 S R 33 E S 23 B T</p> <p>Land, almost level. Soil, sandy loam, 2nd rate. Timber, cypress, pine, cabbage palm, oak, bay, and gum; undergrowth, young trees, palmetto, and vines.</p> <hr/> <p>N. 1° 00' W., bet. secs. 13 and 14, marking and blazing the true line.</p> <p>Over nearly level land, through a hammock, along the boundary of Indian Land, private land to the W., Indian land to the E.</p> <p>7.10 Line follows along a crooked road.</p> <p>15.00 Leave road, bears off to the NW.</p> <p>20.09½ Set an ash post, 4 ins. square, 5 ft. long, 24 ins. in the ground.</p> <p>32.00 Leave hammock, enter open grass land, bears E. and W.</p> <p>40.19 Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the ¼ sec. cor., with brass cap mkd.,</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>S 14</td> <td>S 13</td> </tr> <tr> <td colspan="2" style="text-align: center;">SIL</td> </tr> </table> <p style="text-align: center;">1939</p> <p style="text-align: right;">from which,</p>	T 48 S	R 33 E	S 23	S 24	S 26	S 25	S 14	S 13	SIL	
T 48 S	R 33 E										
S 23	S 24										
S 26	S 25										
S 14	S 13										
SIL											

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains	<p>A cabbage palm, 12 ins. diam., bears N. 7° E., 455 lks. dist., mkd. with an "X"</p> <p>A cabbage palm, 12 ins. diam., bears S. 69½° W., 103 lks. dist., mkd. with an "X"</p> <p>50.20 Enter a cypress swamp, bears N. 60° W. and SE.</p> <p>58.30 Leave swamp, enter a cabbage palm and scrub oak hammock, bears NW. and SE.</p> <p>60.28½ Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.</p> <p>61.30 Leave hammock, enter scattering cypress, bears E. and W.</p> <p>75.70 Leave cypress, enter open grass land, bears NE. and SW.</p> <p>80.38 Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the corner of secs. 11, 12, 13, and 14, with brass cap mkd.,</p> <div style="text-align: center;"> <table border="0"> <tr> <td>T 48 S</td> <td>R 33 E</td> <td></td> </tr> <tr> <td>S 11</td> <td>S 12</td> <td></td> </tr> <tr> <td>S 14</td> <td>S 13</td> <td>SIL</td> </tr> </table> <p>1939 from which,</p> </div> <p>A pine, 14 ins. diam., bears N. 1¼° E., 123 lks. dist., mkd. T 48 S R 33 E S 12 B T</p> <p>A cypress, 8 ins. diam., bears S. 49° E., 314 lks. dist., mkd. T 48 S R 33 E S 13 B T</p> <p>A pine, 14 ins. diam., bears S. 34° W., 102 lks. dist., mkd. T 48 S R 33 E S 14 B T</p> <p>A pine, 11 ins. diam., bears N. 55° W., 205 lks. dist., mkd. T 48 S R 33 E S 11 B T</p> <p>The cor. of secs. 7, 12, 13, and 18, T. 48 S., Rs. 33 and 34 E., bears N. 89° 03' E., 80.58 chs. dist., previously described.</p> <p>The cor. of secs. 9, 10, 15, and 16, T. 48 S., R. 33 E., bears S. 89° 20' W., 161.54 chs. dist., previously described.</p> <p>Land, almost level. Soil, sandy loam, 2nd rate. Timber, cypress, pine, cabbage palm, and oak; undergrowth, young trees, palmetto, and vines.</p> <hr/> <p>N. 1° 49' W., bet. secs. 11 and 12, marking and blazing the true line.</p> <hr/> <p>Over almost level land, through pine and palmetto with patches of open grass land, along the boundary of Indian Land, private land to the W. and Indian land to the E.</p> <p>20.10 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.</p> <p>26.42 A graded road, leads to headquarters, bears N. 57¼° W. and S. 57¼° E.</p>	T 48 S	R 33 E		S 11	S 12		S 14	S 13	SIL
T 48 S	R 33 E									
S 11	S 12									
S 14	S 13	SIL								

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains 40.20½	Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes. Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the ¼ sec. cor., with brass cap mkd., S 11 S 12 SIL 1939 from which, A pine, 20 ins. diam., bears S. 57° E., 12 lks. dist., mkd. ¼ S 12 B T A pine, 24 ins. diam., bears S. 28½° W., 136 lks. dist., mkd. ¼ S 11 B T
51.60	Enter a cypress pond, bears E and W.
59.80	Leave pond, enter scattering pine and palmetto, bears E. and W.
60.31	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
78.50	A road, bears NE. and SW.
80.41	Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes. Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 1, 2, 11, and 12, with brass cap mkd., T 48 S R 33 E S 2 S 1 S 11 S 12 SIL 1939 from which, No bearing trees available. A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist. The cor. of secs. 1, 2, 35, and 36, Tps. 47 and 48 S., R. 33 E., bears N. 1° 18' W., 80.78 chs. dist., previously described. The cor. of secs. 1, 6, 7, and 12, T. 48 S., Rs. 32 and 33 E., bears S. 89° 14' W., 405.21 chs. dist., previously described. Land, almost level. Soil, sandy loam, 2nd rate. Timber; pine, cabbage palm, and cypress; undergrowth, young trees, palmetto, and vines.
	N. 89° 03' E., bet. secs. 1 and 12, marking and blazing the true line. Over almost level open grass land, through patches of palmetto, along the boundary of Indian Land, private land to the N., indian land to the S.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

Chains	
5.00	Enter a cypress pond, bears NE. and SW.
13.50	Leave pond, enter open grass land with patches of palmetto, bears NW. and SE.
20.24	A cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
31.20	Enter a cypress pond, bears NE. and SW.
38.30	Leave pond, enter a palmetto ridge, bears N. and S.
40.48	Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.
	Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,
	$\begin{array}{r} S 1 \\ \frac{1}{4} \\ S 12 \\ SIL \\ 1939 \end{array}$
	from which,
	A cypress, 7 ins. diam., bears S. $29\frac{3}{4}^{\circ}$ W., 165 lks. dist., mkd. $\frac{1}{4}$ S 12 B T
	A cypress, 10 ins. diam., bears N. $26\frac{3}{4}^{\circ}$ W., 96 lks. dist., mkd. $\frac{1}{4}$ S 1 B T
41.90	Enter a cypress pond, bears N. and S.
47.40	Leave pond, enter open grass land, bears NW. and SE.
56.50	Leave grass land, enter oak and palmetto hammock, bears NW. and SE.
60.40	Leave hammock, enter a cypress pond, bears NE. and SW.
60.72	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
62.70	Leave pond, enter open grass land, bears N. and S.
72.40	Leave grass land, enter scattering scrub oak, bears NW. and SE.
80.96	The cor. of secs. 1, 6, 7, and 12, T. 48 S., Rs. 33 and 34 E., described in connection with the "Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., R. 34 E., Tall. Mer., Florida"
	Land, almost level. Soil, sandy loam, 2nd rate. Timber, cypress, pine, oak, gum, and bay; undergrowth, young trees, palmetto, and vines.

GENERAL DESCRIPTION

The soil on the uplands in Township 48 South, Ranges 32 and 33 East, consists of sand mixed with some clay and decayed vegetation. The subsoil is of white or yellow sand or rock of lime formation. The soil in the swamps varies. The scrub cypress usually has a hard sandy soil while the thick swamps have loose muck. The soil ranges from 2nd to 3rd rate. There is very little difference in elevation between upland and lowland.

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., Rs. 32 and 33 E., Tall. Mer., Florida.

The timber consists of pine, cabbage palm, and oak with undergrowth of palmetto, gall-berry and tall native grass on the upland; in the swamps the timber consists of cypress, ash, gum, bay, maple, and willow with undergrowth of young trees, myrtle, vines, and saw-grass.

The Indian Service Headquarters are located in the SW 1/4 of Sec. 12, T. 48 S., R. 33 E. A number of the Indian families have built their chickees close to Headquarters as they are employed in the "CCC" work. Headquarters at this time consists of one four room house, a garage, a tool house, and a small recreation building. A hand made road has recently been built through the SW 1/4 of Sec. 12, past Headquarters and through the NE 1/4 of Sec. 13.

No other improvements have been made in the surveyed lands belonging to the Indian Reservation in these two townships. A few roads or trails are found on the high land but no attempt has been made to improve them and their location changes constantly. The timber which is scattering except in the swamps has never been cut. The land as a whole is wild and harbors, raccoons, wildcats, otters, deer, turkeys, foxes, panthers, bears, and poisonous snakes.

Resurvey completed March 3, 1919.

75.10	Leave grass land, enter scattering scrub oak, bears NW and SE.
65.70	Leave pond, enter open grass land, bears N. and S.
60.75	Set a cypress post, 4 ins. square, 5 ft. long, 2 1/2 ins. in the ground.
60.40	Leave hammock, enter a cypress pond, bears NE. and SW.
56.50	Leave grass land, enter oak and palmetto hammock, bears NW and SE.
47.10	Leave pond, enter open grass land, bears NW and SE.
41.90	Enter a cypress pond, bears N. and S.

The cor. of secs. 1, 6, 7, and 12, T. 48 S., Rs. 32 and 33 E., described in connection with the "Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., R. 33 E., Tall. Mer., Florida."

The soil on the uplands in Township 48 South, Ranges 32 and 33 East, consists of sand mixed with some clay and decayed vegetation. The subsol is of white or yellow sand or rock of lime formation. The soil in the swamps varies. The scrub cypress usually has a hard sandy soil while the thick swamps have loose muck. The soil ranges from 2nd to 5th rate. There is very little difference in elevation between upland and lowland.

4-680
(Revised May 1934)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FIELD ASSISTANTS

NAMES		CAPACITY
Alfred Berger		Principal Assistant
Terry J. Bronson		Principal Assistant
Raymond L. Barnes		Chairman
John Gypress	Seminole Indians	Chairman
Henry Osceola		Chairman
Joe Dector		Axeman
Little Charley		Axeman
Jim Boyde		Axeman
Whitney Osceola		Axeman
Billy Roberts		Axeman

CERTIFICATE OF SURVEYOR

I, Lester S. Mann, HEREBY CERTIFY upon honor that, in
 pursuance of ^{supplemental} special instructions bearing date of the 23rd day of January, 1939
 received from the ~~Assistant~~ ^{Associate} ~~Surveyor~~ ^{Supervisor of Surveys}, with ^{supplemental} assignment
 instructions dated January 25, 1939, I have ~~now~~ ^{made} the limited ~~Dependent~~ ^{Resurvey}
of the Exterior and Subdivisional Lines of Township 48
South, Range 32 East, and Township 48 South, Range 33 East, to
define the Exterior Boundaries of Seminole Indian Lands.
 of the Tallahassee Meridian, in the State of Florida, which are
 represented in the foregoing field notes as having been executed by me and under my direction; and that said
 survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey
 of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.
Washington, D.C.
August 24, 1939

Lester S. Mann
 Public Land Surveyor

CERTIFICATE OF APPROVAL

OFFICE OF SUPERVISOR OF SURVEYS,
 Denver, Colorado, MAR 23 1940, 19

The foregoing field notes of the ~~now~~ ^{limited} ~~Dependent~~ ^{Resurvey} of the
Exterior and Subdivisional Lines of Township 48 South, Range 32
East, and Township 48 South, Range 33 East, to define the
Exterior Boundaries of Seminole Indian Lands.
 executed by Lester S. Mann, Public Land Surveyor
 under ^{supplemental} special instructions dated January 23, 1939, and ^{supplemental} assignment
 instructions dated January 25, 1939, having been critically examined, and
 the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey
 therein described, are hereby approved.

Wm. H. Johnson
 Supervisor of Surveys.

CERTIFICATE OF TRANSCRIPT.

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in _____
 _____, is a true copy of the original field notes on file in the public survey office.

 Supervisor of Surveys.